

FLOOR AND ROOF PLAN - SYMBOLS LEGEND

- EXISTING WALLS TO REMAIN - AREA B  
EXISTING DOOR TO REMAIN  
DETAIL REFERENCE  
CONSTRUCTION LIMITS  
DIRECTION OF SLOPE  
PLAN NOTE

FLOOR AND ROOF PLAN - GENERAL NOTES

- A. BUILDING IS PART OF NATIONAL REGISTER OF HISTORIC PLACES. ALL WORK WILL BE CARRIED OUT IN ACCORDANCE WITH THE SECRETARY OF THE INTERIORS STANDARDS FOR THE TREATMENT OF HISTORIC PROPERTIES, PARTICULARLY, THE STANDARD FOR PRESERVATION.
- B. DIMENSIONS ON FLOOR PLAN ARE BASED ON FACE OF FINISHED WALL TO FACE OF FINISHED WALL (NOMINAL).
- C. VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE. PORTIONS OF EXISTING CONSTRUCTION MAY HAVE BEEN REMOVED BY OWNER.
- D. MAINTAIN CONTINUOUS UTILITY SERVICE TO ALL SPACES IN THE BUILDING NOT AFFECTED BY THIS WORK. COORDINATE WITH COTR ANY DISRUPTION IN SERVICES REQUIRED TO PERFORM WORK OR TO MODIFY EXISTING PIPING, DUCTWORK OR ANY ASSOCIATED EQUIPMENT.
- E. CONTRACTOR SHALL ENSURE ALL CURRENTLY OPERATING MECHANICAL, PLUMBING AND ELECTRICAL SERVICES ARE MAINTAINED THROUGHOUT THE SHORING INSTALLATION AS PART OF THE BASE BID.
- F. CONTRACTOR RESPONSIBLE FOR RESTORING ANY AND ALL SYSTEMS AFFECTED BY THE ROOF STABILIZATION PROJECT TO OPERATIONAL CONDITION AS PART OF BASE BID. IF WORK INCLUDES REROUTING, A MINIMUM SEVEN FOOT HEADROOM CLEARANCE SHALL BE MAINTAINED THROUGHOUT THE AFFECTED AREA.
- G. CONTRACTOR RESPONSIBLE FOR DESIGN, DETAILS AND INSTALLATION OF ALL SHORING.
- H. CONTRACTOR RESPONSIBLE FOR PROPER ABATEMENT OF ANY HAZARDOUS MATERIALS REQUIRED TO BE REMOVED IN AREAS AFFECTED BY SHORING INSTALLATION AS PART OF BASE BID. SEE LIMITED PRE-RENOVATION ASBESTOS SURVEY REPORT DATED FEBRUARY 23, 2011.
- I. CONTRACTOR TO PATCH PORTIONS OF THE EXTERIOR WALLS WHERE DAMAGE HAS OCCURRED DUE TO COLLAPSED ROOF STRUCTURE OR ROOF DETERIORATION. BUILDING TO BE BROUGHT BACK TO ORIGINAL CONDITION AND WATER TIGHT AT AFFECTED AREAS AS SPECIFIED IN CONTRACT DOCUMENTS. ONLY RECLAIMED BRICK THAT MATCHES THE EXISTING BRICK WILL BE USED.
- J. DEMOLITION AND SHORING CONTRACTOR TO REAR PROPER PPE, MOLD PRESENT.


FLOOR AND ROOF PLAN NOTES

1. REROOF REQUIRED IN THIS AREAS OF COLLAPSE OR PARTIAL COLLAPSE. SEE DETAILS ON SHEET A400. SEE STRUCTURAL FOR ADDITIONAL INFORMATION.
2. REMOVE DEBRIS AT COLLAPSED ROOF AREA AND SALVAGE ROOF SUPPORT STRUCTURE INCLUDING BEAMS AND GIRDER, 'BOASTING' TRUSS, CEILING SUPPORT BEAMS AND WOOD DECKING. REUSE MATERIALS WHEREVER POSSIBLE. SEE STRUCTURAL NOTES ON SHEET A400.
3. FLOOR TILE/ MASTIC IS ASBESTOS CONTAINING MATERIALS.
4. REROOF REQUIRED THIS AREA, APPROXIMATELY 10 SQUARE FEET. SIMILAR TO DETAILS ON SHEET A400.
5. REPLACE DAMAGED CEILING WITHIN FIRST FLOOR CONSTRUCTION LIMITS WITH GYPSUM BOARD FOR GYPSUM BOARD FLUSH WITH EXISTING CEILING. NO TAPE JOINTS.
6. REPLACE DAMAGED CEILING WITHIN SECOND FLOOR CONSTRUCTION LIMITS WITH VENEER GYPSUM BOARD AND ONE COAT VENEER PLASTER. SHIM GYPSUM BOARD TO BE SAME HEIGHT AS EXISTING CEILING.
7. TONGUE AND GROOVE OR PLANKING MAY BE USED AS DECKING FOR FIRST FLOOR ROOFING SYSTEM NEW DECKING TO BE FLUSH WITH EXISTING.
8. SALVAGED TONGUE AND GROOVE DECKING BOARDS FROM FIRST AND SECOND FLOOR COLLAPSED ROOF AREAS SHOULD BE USED ON SECOND FLOOR ROOF DECK. FLUSH OUT WITH EXISTING ROOF DECK.

PARTIAL GROUND FLOOR PLAN - AREA B  
FOR REFERENCE ONLY

1/8"=1'-0"  
GRAPHIC SCALE


CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED




Dept. of Veterans Affairs  
Medical Center  
5000 W. National Avenue  
Milwaukee, WI



KEY PLAN: →



ARCHITECT:



11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070

Intelligent Designs  
Inspired Results  
www.praarch.com

PRA Job No.  
10077-05

Drawing Title

GROUND FLOOR PLAN  
AREA B

Approved: Project Director

Project Title

Building 2 Roof Stabilization

Location

VA Medical Center, Milwaukee, WI

Date

19 June 2012

Checked

PRA

Drawn

rtk

Project Number

695-10-220

Building Number

Building 2

Drawing Number

A200

Office of  
Construction  
and Facilities  
Management



Department of  
Veterans Affairs



A

B

C

D

E

F

B

C

D

E

F

three inches = one foot

one and one half inches = one foot

one inch = one foot


three quarters inch = one foot

one half inch = one foot

three eighths inch = one foot

one quarter inch = one foot

one eighth inch = one foot

**FLOOR AND ROOF PLAN - SYMBOLS LEGEND**


- EXISTING WALLS TO REMAIN - AREA B  
EXISTING DOOR TO REMAIN  
DETAIL REFERENCE  
CONSTRUCTION LIMITS  
DIRECTION OF SLOPE  
PLAN NOTE

**FLOOR AND ROOF PLAN - GENERAL NOTES**


- A. BUILDING IS PART OF NATIONAL REGISTER OF HISTORIC PLACES. ALL WORK WILL BE CARRIED OUT IN ACCORDANCE WITH THE SECRETARY OF THE INTERIOR'S STANDARDS FOR THE TREATMENT OF HISTORIC PROPERTIES, PARTICULARLY, THE STANDARD FOR PRESERVATION.
- B. DIMENSIONS ON FLOOR PLAN ARE BASED ON FACE OF FINISHED HALL TO FACE OF FINISHED HALL (NOMINAL).
- C. VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE. PORTIONS OF EXISTING CONSTRUCTION MAY HAVE BEEN REMOVED BY OWNER.
- D. MAINTAIN CONTINUOUS UTILITY SERVICE TO ALL SPACES IN THE BUILDING NOT AFFECTED BY THIS WORK. COORDINATE WITH COTR ANY DISRUPTION IN SERVICES REQUIRED TO PERFORM WORK OR TO MODIFY EXISTING PIPING, DUCTWORK OR ANY ASSOCIATED EQUIPMENT.
- E. CONTRACTOR SHALL ENSURE ALL CURRENTLY OPERATING MECHANICAL, PLUMBING AND ELECTRICAL SERVICES ARE MAINTAINED THROUGHOUT THE SHORING INSTALLATION AS PART OF THE BASE BID.
- F. CONTRACTOR RESPONSIBLE FOR RESTORING ANY AND ALL SYSTEMS AFFECTED BY THE ROOF STABILIZATION PROJECT TO OPERATIONAL CONDITION AS PART OF BASE BID. IF WORK INCLUDES REROUTING, A MINIMUM SEVEN FOOT HEADROOM CLEARANCE SHALL BE MAINTAINED THROUGHOUT THE AFFECTED AREA.
- G. CONTRACTOR RESPONSIBLE FOR DESIGN, DETAILS AND INSTALLATION OF ALL SHORING.
- H. CONTRACTOR RESPONSIBLE FOR PROPER ABATEMENT OF ANY HAZARDOUS MATERIALS REQUIRED TO BE REMOVED IN AREAS AFFECTED BY SHORING INSTALLATION AS PART OF BASE BID. SEE LIMITED PRE-RENOVATION ASBESTOS SURVEY REPORT DATED FEBRUARY 23, 2011.
- J. CONTRACTOR TO PATCH PORTIONS OF THE EXTERIOR WALLS WHERE DAMAGE HAS OCCURED DUE TO COLLAPSED ROOF STRUCTURE OR ROOF DETERIORATION. BUILDING TO BE BROUGHT BACK TO ORIGINAL CONDITION AND WATER TIGHT AT AFFECTED AREAS AS SPECIFIED IN CONTRACT DOCUMENTS. ONLY RECLAIMED BRICK THAT MATCHES THE EXISTING BRICK WILL BE USED.
- K. DEMOLITION AND SHORING CONTRACTOR TO WEAR PROPER PPE, HOLD PRESENT.

**FLOOR AND ROOF PLAN NOTES**

- ① REROOF REQUIRED IN THIS AREAS OF COLLAPSE OR PARTIAL COLLAPSE. SEE DETAILS ON SHEET A400. SEE STRUCTURAL FOR ADDITIONAL INFORMATION.
- ② REMOVE DEBRIS AT COLLAPSED ROOF AREA AND SALVAGE ROOF SUPPORT STRUCTURE INCLUDING BEAMS AND GIRDER, 'BOOKSTRING' TRUSS, CEILING SUPPORT BEAMS AND WOOD DECKING. REUSE MATERIALS WHEREVER POSSIBLE. SEE STRUCTURAL NOTES ON SHEET A400.
- ③ FLOOR TILE/ MASTIC IS ASBESTOS CONTAINING MATERIALS.
- ④ REROOF REQUIRED THIS AREA. APPROXIMATELY 10 SQUARE FEET. SIMILAR TO DETAILS ON SHEET A400.
- ⑤ REPLACE DAMAGED CEILING WITHIN FIRST FLOOR CONSTRUCTION LIMITS WITH GYPSUM BOARD FOR GYPSUM BOARD FLUSH WITH EXISTING CEILING. NO TAPE JOINTS.
- ⑥ REPLACE DAMAGED CEILING WITHIN SECOND FLOOR CONSTRUCTION LIMITS WITH VENEER GYPSUM BOARD AND ONE COAT VENEER PLASTER. SHIM GYPSUM BOARD TO BE SAME HEIGHT AS EXISTING CEILING.
- ⑦ TONGUE AND GROOVE OR PLYWOOD MAY BE USED AS DECKING FOR FIRST FLOOR ROOFING SYSTEM. NEW DECKING TO BE FLUSH WITH EXISTING.
- ⑧ SALVAGED TONGUE AND GROOVE DECKING BOARDS FROM FIRST AND SECOND FLOOR COLLAPSED ROOF AREAS SHOULD BE USED ON SECOND FLOOR ROOF DECK. FLUSH OUT WITH EXISTING ROOF DECK.

**CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED**


Revisions	Date




Dept. of Veterans Affairs  
Medical Center  
5000 W. National Avenue  
Milwaukee, WI



KEY PLAN: ➡



ARCHITECT:



11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070  
Intelligent Designs Inspired Results  
www.praarch.com

PRA Job No.  
10077-05

Drawing Title  
**FIRST-FLOOR-PLAN  
AREA B**

Approved Project Director

Project Title  
**Building 2 Roof Stabilization**

Location  
**VA Medical Center, Milwaukee, WI**

Date  
**19 June 2012**

Checked  
**PRA**

Drawn  
**RFK**

Project Number  
**695-10-220**

Building Number  
**Building 2**

Drawing Number  
**A201**


Office of  
Construction  
and Facilities  
Management













three inches = one foot  
one and one half inches = one foot  
one inch = one foot  
three quarters inch = one foot  
one half inch = one foot  
one quarter inch = one foot  
three eighths inch = one foot  
one eighth inch = one foot  
one quarter inch = one foot  
one eighth inch = one foot




PHOTOGRAPH - INSIDE THIRD FLOOR NORTHEAST STAIR TOWER  
LOOKING UP THROUGH HOLE IN ROOF

NTS



PHOTOGRAPH - SIMILAR ROOF CONDITION  
THIRD FLOOR NE STAIR TOWER

NTS



#### FLOOR AND ROOF PLAN - SYMBOLS LEGEND

- EXISTING WALLS TO REMAIN - AREA B  
CONSTRUCTION LIMITS  
EXISTING DOOR TO REMAIN  
DIRECTION OF SLOPE  
DETAIL REFERENCE  
PLAN NOTE

#### FLOOR AND ROOF PLAN - GENERAL NOTES

- BUILDING IS PART OF NATIONAL REGISTER OF HISTORIC PLACES. ALL WORK WILL BE CARRIED OUT IN ACCORDANCE WITH THE SECRETARY OF THE INTERIORS STANDARDS FOR THE TREATMENT OF HISTORIC PROPERTIES, PARTICULARLY, THE STANDARD FOR PRESERVATION.
- DIMENSIONS ON FLOOR PLAN ARE BASED ON FACE OF FINISHED WALL TO FACE OF FINISHED WALL (NOMINAL).
- VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE. PORTIONS OF EXISTING CONSTRUCTION MAY HAVE BEEN REMOVED BY OWNER.
- MAINTAIN CONTINUOUS UTILITY SERVICE TO ALL SPACES IN THE BUILDING NOT AFFECTED BY THIS WORK. COORDINATE WITH COTR ANY DISRUPTION IN SERVICES REQUIRED TO PERFORM WORK OR TO MODIFY EXISTING PIPING, DUCTWORK OR ANY ASSOCIATED EQUIPMENT.
- CONTRACTOR SHALL ENSURE ALL CURRENTLY OPERATING MECHANICAL, PLUMBING AND ELECTRICAL SERVICES ARE MAINTAINED THROUGHOUT THE SHORING INSTALLATION AS PART OF THE BASE BID.
- CONTRACTOR RESPONSIBLE FOR RESTORING ANY AND ALL SYSTEMS AFFECTED BY THE ROOF STABILIZATION PROJECT TO OPERATIONAL CONDITION AS PART OF BASE BID. IF WORK INCLUDES REROUTING A MINIMUM SEVEN FOOT HEADROOM CLEARANCE SHALL BE MAINTAINED THROUGHOUT THE AFFECTED AREA.
- CONTRACTOR RESPONSIBLE FOR DESIGN, DETAILS AND INSTALLATION OF ALL SHORING.
- CONTRACTOR RESPONSIBLE FOR PROPER ABATEMENT OF ANY HAZARDOUS MATERIALS REQUIRED TO BE REMOVED IN AREAS AFFECTED BY SHORING INSTALLATION AS PART OF BASE BID. SEE LIMITED PRE-RENOVATION ASBESTOS SURVEY REPORT DATED FEBRUARY 23, 2011.
- CONTRACTOR TO PATCH PORTIONS OF THE EXTERIOR WALLS WHERE DAMAGE HAS OCCURRED DUE TO COLLAPSED ROOF STRUCTURE OR ROOF DETERIORATION. BUILDING TO BE BROUGHT BACK TO ORIGINAL CONDITION AND WATER TIGHT AT AFFECTED AREAS AS SPECIFIED IN CONTRACT DOCUMENTS. ONLY RECLAIMED BRICK THAT MATCHES THE EXISTING BRICK WILL BE USED.
- DEMOLITION AND SHORING CONTRACTOR TO HEAR PROPER RFE, MOLD PRESENT.

#### FLOOR AND ROOF PLAN NOTES

- REEROOF REQUIRED IN THIS AREAS OF COLLAPSE OR PARTIAL COLLAPSE. SEE DETAILS ON SHEET A400. SEE STRUCTURAL FOR ADDITIONAL INFORMATION.
- REMOVE DEBRIS AT COLLAPSED ROOF AREA AND SALVAGE ROOF SUPPORT STRUCTURE INCLUDING BEAMS AND GIRDER, BRACING, TRUSS, CEILING SUPPORT BEAMS AND WOOD DECKING. REUSE MATERIALS WHEREVER POSSIBLE. SEE STRUCTURAL NOTES ON SHEET A400.
- FLOOR TILE/ MASTIC IS ASBESTOS CONTAINING MATERIALS.
- REEROOF REQUIRED THIS AREA, APPROXIMATELY 10 SQUARE FEET. SIMILAR TO DETAILS ON SHEET A400.
- REPLACE DAMAGED CEILING WITHIN FIRST FLOOR CONSTRUCTION LIMITS WITH GYPSUM BOARD FOR GYPSUM BOARD FLUSH WITH EXISTING CEILING. NO TAPE JOINTS.
- REPLACE DAMAGED CEILING WITHIN SECOND FLOOR CONSTRUCTION LIMITS WITH VENEER GYPSUM BOARD AND ONE COAT VENEER PLASTER. 5/8" GYPSUM BOARD TO BE SAME HEIGHT AS EXISTING CEILING.
- TONGUE AND GROOVE OR PLYWOOD MAY BE USED AS DECKING FOR FIRST FLOOR ROOFING SYSTEM. NEW DECKING TO BE FLUSH WITH EXISTING.
- SALVAGED TONGUE AND GROOVE DECKING BOARDS FROM FIRST AND SECOND FLOOR COLLAPSED ROOF AREAS SHOULD BE USED ON SECOND FLOOR ROOF DECK. FLUSH OUT WITH EXISTING ROOF DECK.

FOURTH FLOOR/ ROOF PLAN - AREA A  
1/8"=1'-0"  
GRAPHIC SCALE

#### CONSTRUCTION DOCUMENTS FULLY SPRINKLERED


Revisions	Date




Dept. of Veterans Affairs  
Medical Center  
5000 W. National Avenue  
Milwaukee, WI



KEY PLAN: →



ARCHITECT:



11000 West Park Place • Milwaukee WI 53224 • Tel 414 359-3060 • Fax 414 359-3070

Intelligent Designs

Inspired Results

www.prarch.com

PRA Job No.  
10077-05

Drawing Title  
FOURTH FLOOR/ ROOF PLAN  
AREA A

Approved: Project Director

Project Title  
Building 2 Roof Stabilization

Location  
VA Medical Center, Milwaukee, WI

Date  
19 June 2012

Checked  
PRA

Drawn  
rk

Project Number  
695-10-220

Building Number  
Building 2

Drawing Number

A204


Office of  
Construction  
and Facilities  
Management








NTS



TS



PRA Job No.  
10077-05

Approved: Project Director


auke, WI	Drawn
	RFK

A400


 Department of  
Veterans Affairs

CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED







12 LOW ROOF FRAMING PLAN  
5401 SCALE: NONE




GIRDER TRUSS BEARING  
AT COLUMN CAPITAL




INFILL FRAMING BETWEEN  
GIRDER TRUSSES



13 UPPER ROOF FRAMING PLAN  
5401 SCALE: NONE



## WEB BRACING A



UNIT DATA SHEET

